

## TNF α Monoclonal Antibody(Q34)

Catalog\_no: AM3477

Applications: WB,IHC-p

Reactivity: Human, Rat, Mouse

Category: 抗原抗体

Size: 100μg/50μg

Gene\_name: TNF

Protein\_name: Tumor necrosis factor (Cachectin) (TNF-alpha) (Tumor necrosis factor ligand superfamily

member 2) (TNF-a) [Cleaved into: Tumor necrosis factor, membrane form (N-terminal

fragment) (NTF); Intracellular domain 1 (ICD1); Intracellular domain 2 (ICD2); C

Humangene\_id 7124

:

Humanswissprot P01375

\_no:

**Immunogen**: Synthetic Peptide of TNF α

Specificity: The antibody detects endogenous TNF α protein

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Mouse

Dilution: WB: 1:1000-1:3000 IHC: 1:50-1:200

Purification: The antibody was affinity-purified from mouse ascites by affinity-chromatography using

epitope-specific immunogen.

Concentration: 1 mg/ml

Storage\_stability -20°C/1 year

Other\_name: Tumor necrosis factor (Cachectin) (TNF-alpha) (Tumor necrosis factor ligand superfamily


member 2) (TNF-a) [Cleaved into: Tumor necrosis factor, membrane form (N-terminal fragment) (NTF); Intracellular domain 1 (ICD1); Intracellular domain 2 (ICD2); C-domain


1; C-domain 2; Tumor necrosis factor, soluble form]

Molecular Weight:

17KD,25KD

## **Product Images**





Immunohistochemical analysis of paraffin-embedded Human Tonsil Tissue using TNF aMouse mAb diluted at 1:50

The picture was kindly provided by our customer

mouse BV2



Huazhong University of Science and Technology (HUST)