

## BOB.1 (4T4) mouse mAb

Catalog\_no: AM6111

Applications: IHC-p

Reactivity: Human

Category: 抗原抗体

Size: 50µl/100µl

Gene\_name: POU2AF1 OBF1

Protein\_name: POU domain class 2-associating factor 1 (B-cell-specific coactivator OBF-1) (BOB-1) (OCA-

B) (OCT-binding factor 1)

Humanswissprot Q16633

\_no:

Immunogen: Synthesized peptide derived from human BOB.1

Specificity: This antibody detects endogenous levels of human BOB.1

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Mouse/IgG2a, Kappa

**Dilution:** IHC-p 1:100-500

Purification: The antibody was affinity-purified from mouse ascites by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage\_stability -20°C/1 year

•


Notes: transcription, transcription, DNA-dependent, transcription from RNA polymerase II

promoter, immune response, humoral immune response, RNA biosynthetic

process, regulation of transcription,



## **Product Images**



Immunohistochemical analysis of paraffin-embedded Classical Hodgkin lymphoma. 1, Antibody was diluted at 1:200(4°,overnight). 2, Citrate buffer of pH6.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).