

p57kip2 (1A2) mouse mAb

Catalog_no: AM6206

Applications: IHC-p

Reactivity: Human

Category: 抗原抗体

Size: 50µl/100µl

Gene_name: CDKN1C KIP2

Protein_name: Cyclin-dependent kinase inhibitor 1C (Cyclin-dependent kinase inhibitor p57) (p57Kip2)

Humanswissprot P49918

_no:

Immunogen: Synthesized peptide derived from human p57kip2

Specificity: This antibody detects endogenous levels of human p57kip2

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Mouse/IgG3, Kappa

Dilution: IHC-p 1:100-500

Purification: The antibody was affinity-purified from mouse ascites by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage_stability -20°C/1 year


:

Notes: regulation of cyclin-dependent protein kinase activity, G1 phase of mitotic cell

cycle, negative regulation of transcription from RNA polymerase II promoter, mitotic cell cycle, regulation of transcription, DNA-dependent, regulation of transcription f



Product Images



Immunohistochemical analysis of paraffin-embedded 13H10D4F9A8-Placenta-100X-1. 1, Antibody was diluted at 1:200(4°,overnight). 2, Citrate buffer of pH6.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).