




## p63 (6F8) mouse mAb

Catalog_no :	AM6207
Applications :	IHC-p,WB
Reactivity :	Human
Category :	抗原抗体
Size :	50μl/100μl
Gene_name :	TP63 KET P63 P73H P73L TP73L
Protein_name :	Tumor protein 63 (p63) (Chronic ulcerative stomatitis protein) (CUSP) (Keratinocyte transcription factor KET) (Transformation-related protein 63) (TP63) (Tumor protein p73-like) (p73L) (p40) (p51)
Humanswissprot_no :	<a href="#">Q9H3D4</a>
Immunogen :	Synthesized peptide derived from human p63
Specificity :	This antibody detects endogenous levels of human p63
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Mouse/IgG1, Kappa
Dilution :	IHC-p 1:100-500 , WB 1:500-2000
Purification :	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Notes :	negative regulation of transcription from RNA polymerase II promoter, replicative cell aging, skeletal system development, regulation of cell growth, urogenital system development, establishment of planar polarity,morphogenesis of a polarized epithel

## Product Images



Immunohistochemical analysis of paraffin-embedded Breast. 1, Antibody was diluted at 1:200(4°,overnight). 2, Citric acid ,pH6.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).