

CD79a (3A2) mouse mAb

Catalog_no: AM6576

Applications: IHC-p

Reactivity: Human

Category: 抗原抗体

Size: 50μl/100μl

Gene_name: CD79A IGA MB1

Protein_name: B-cell antigen receptor complex-associated protein alpha chain (Ig-alpha) (MB-1

membrane glycoprotein) (Membrane-bound immunoglobulin-associated protein)

(Surface IgM-associated protein) (CD antigen CD79a)

Humanswissprot P11912

_no:

Immunogen: Synthesized peptide derived from human CD79a

Specificity: This antibody detects endogenous levels of human CD79a

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Mouse/IgG2b, Kappa

Dilution: IHC-p 1:100-500

Purification: The antibody was affinity-purified from mouse ascites by affinity-chromatography using

specific immunogen.

Concentration: 1 mg/ml

Storage stability -20°C/1 year

:


Notes: cell activation, activation of immune response, immune response-activating cell

surface receptor signaling pathway, immune system development, leukocyte differentiation, positive regulation of immune system process, immune response-

activating signal t



Product Images



Immunohistochemical analysis of paraffin-embedded Tonsil. 1, Antibody was diluted at 1:200(4°,overnight). 2, Citrate buffer of pH6.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).