




p57kip2 (3P1) mouse mAb

Catalog_no :	AM6205
Applications :	IHC-p
Reactivity :	Human
Category :	抗原抗体
Size :	50μl/100μl
Gene_name :	CDKN1C KIP2
Protein_name :	Cyclin-dependent kinase inhibitor 1C (Cyclin-dependent kinase inhibitor p57) (p57Kip2)
Humanswissprot_no :	P49918
Immunogen :	Synthesized peptide derived from human p57kip2
Specificity :	This antibody detects endogenous levels of human p57kip2
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Mouse/IgG2a, Kappa
Dilution :	IHC-p 1:100-500
Purification :	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Notes :	regulation of cyclin-dependent protein kinase activity, G1 phase of mitotic cell cycle, negative regulation of transcription from RNA polymerase II promoter, mitotic cell cycle, regulation of transcription, DNA-dependent,regulation of transcription f

Product Images



Immunohistochemical analysis of paraffin-embedded Partial hydatidiform mole. 1, Antibody was diluted at 1:200(4°,overnight). 2, Citric acid ,pH6.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).